in acc. with Regulation (EU) No. 2015/830

## CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

CULR™ Art Pigment for Epoxy – Indigo Blue

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture Colour, Pigment

### 1.3. Details of the supplier of the safety data sheet

Identification of the company: Easy Composites Ltd Unit 39 Park Hall Business Village Stoke on Trent, ST3 5XA. United Kingdom. +44 (0)1782 4544499

E-mail: technical@glasscastresin.com

1.4. Emergency telephone	Emergency CONTACT (Office Hours) Phone: +44 (0)1782 4544499
number:	

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

### 2.2. Label elements

**GB CLP Regulation** 

EUH208

EUH210

### Special labelling of certain mixtures

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5 -chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. Safety data sheet available on request.


### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures





## CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

Page 2 of 13

сноісе

### **Relevant ingredients**

CAS No	Chemical name		Quantity		
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)	•			
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412			
97862-59-4	1-Propanaminium, 3-amino-N-(carb inner salts	ooxymethyl)-N,N-dimethyl-, N-C8-18	acyl derivs., hydroxides,	1 - < 5 %	
	308-107-7				
	Eye Dam. 1, Aquatic Chronic 3; H3	18 H412			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-b		< 0.05 %		
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl	H-isothiazol-3-one (3:1)	< 0.0015 %		
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute T Acute 1, Aquatic Chronic 1; H330 H				

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Con	c. Limits, M-factors and ATE	
68920-66-1	500-236-9	Alcohols, C16-18 and C18-unsatd., ethoxylated	5 - < 10 %
	Aquatic Acute	e 1; H400: M=1	
97862-59-4	308-107-7	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts	1 - < 5 %
		0 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.05 %
		TE = 0,5 mg/l (vapours); inhalation: LC50 = 0,5 mg/l (dusts or mists); dermal: LD50 /kg; oral: LD50 = 670 - 784 mg/kg Skin Sens. 1; H317: >= 0,05 - 100	
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.0015 %
	LD50 = 92,4 H315: >= 0,0 Skin Sens. 1/ Aquatic Acute	TE = 0,5 mg/l (vapours); inhalation: LC50 = 0,171 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = 64 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; 6 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 A; H317: >= 0,0015 - 100 e 1; H400: M=100 nic 1; H410: M=100	

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

When in doubt or if symptoms are observed, get medical advice.

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated

in acc. with Regulation (EU) No. 2015/830



# CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

Page 3 of 13

clothing and wash it before reuse. In case of skin reactions, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

#### For emergency responders

Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

### For containment

Stop leak if safe to do so. Cover drains.

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8

in acc. with Regulation (EU) No. 2015/830

## CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

### Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

### Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

### Further information on handling

Handle and open container with care.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Hints on joint storage

No information available.

## Further information on storage conditions

storage stability: >= 36 month(s)

### 7.3. Specific end use(s)

Colour, Pigment

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1317-65-3	Calcium carbonate, inhalable dust	-	10		TWA (8 h)	WEL
1317-65-3	Calcium carbonate, respirable	-	4		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL



Page 4 of 13

in acc. with Regulation (EU) No. 2015/830

# CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue


Revision date: 14.08.2024

Page 5 of 13

### **DNEL/DMEL** values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimet	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts						
Worker DNEL	, long-term	inhalation	systemic	44 mg/m³				
Worker DNEL	, long-term	dermal	systemic	12,5 mg/kg bw/day				
Consumer DN	IEL, long-term	dermal	systemic	7,5 mg/kg bw/day				
Consumer DN	IEL, long-term	oral	systemic	7,5 mg/kg bw/day				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one							
Worker DNEL	, long-term	inhalation	systemic	6,81 mg/m³				
Worker DNEL	, long-term	dermal	systemic	0,966 mg/kg bw/day				
Consumer DN	IEL, long-term	inhalation	systemic	1,2 mg/m <sup>3</sup>				
Consumer DN	IEL, long-term	dermal	systemic	0,345 mg/kg bw/day				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one ar	nd 2-methyl-2H-isothiaz	ol-3-one (3:1)					
Worker DNEL	, long-term	inhalation	local	0,02 mg/m³				
Worker DNEL	, acute	inhalation	local	0,04 mg/m <sup>3</sup>				
Consumer DN	IEL, long-term	inhalation	local	0,02 mg/m³				
Consumer DN	IEL, acute	inhalation	local	0,04 mg/m³				
Consumer DN	IEL, long-term	oral	systemic	0,09 mg/kg bw/day				
Consumer DN	IEL, acute	oral	systemic	0,11 mg/kg bw/day				





# CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

### Page 6 of 13

### **PNEC** values

CAS No	Substance		
Environmenta	al compartment	Value	
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hyd	droxides, inner salts	
Freshwater		0,013 mg/l	
Marine water		0,001 mg/l	
Freshwater se	ediment	1 mg/kg	
Marine sedim	ent	0,1 mg/kg	
Micro-organis	ms in sewage treatment plants (STP)	3000 mg/l	
Soil		0,8 mg/kg	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one		
Freshwater		0,00403 mg/l	
Freshwater (i	ntermittent releases)	0,0011 mg/l	
Marine water		0,000403 mg/l	
Freshwater se	ediment	0,0499 mg/kg	
Marine sedim	ent	0,00499 mg/kg	
Micro-organis	ms in sewage treatment plants (STP)	1,03 mg/l	
Soil		3 mg/kg	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	ne (3:1)	
Freshwater		0,00339 mg/l	
Freshwater (i	ntermittent releases)	0,00339 mg/l	
Marine water		0,00339 mg/l	
Freshwater se	Freshwater sediment		
Marine sedim	ent	0,027 mg/kg	
Micro-organis	ms in sewage treatment plants (STP)	0,23 mg/l	
Soil		0,01 mg/kg	

### 8.2. Exposure controls



### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye protection/face protection.

### Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into

in acc. with Regulation (EU) No. 2015/830

# CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

consideration.

### Skin protection

Use of protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

### Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid (Dispersion)	
Colour:	blue	
Odour:	odourless	
Odour threshold:	not applicable	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		100 °C
boiling range:		
Flammability:		Non-flammable.
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		> 100 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		> 100 °C
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		miscible
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density (at 20 °C):		1,22 g/cm <sup>3</sup>
Relative vapour density:		not determined
Particle characteristics:		not applicable
2 Other information		

### 9.2. Other information

No information available.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

No information available.



Page 7 of 13

in acc. with Regulation (EU) No. 2015/830

## CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### Acute toxicity

Based on available data, the classification criteria are not met.

### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
97862-59-4	1-Propanaminium, 3-a	amino-N-(carb	oxymethyl)-N,	N-dimethyl-, N-C8	3-18 acyl derivs., hydroxides, i	nner salts		
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	OECD 402		
2634-33-5	1,2-benzisothiazol-3(2	2H)-one; 1,2-b	enzisothiazolii	n-3-one				
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	OECD 402		
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	OECD 403		

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met. Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit) Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

### Sensitising effects

Based on available data, the classification criteria are not met.

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction



Page 8 of 13

in acc. with Regulation (EU) No. 2015/830



## CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

Page 9 of 13

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

Skin contact, Eye contact, @ES04.B002063, Inhalation.

### 11.2. Information on other hazards

Endocrine disrupting properties

No information available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
97862-59-4	1-Propanaminium, 3-amir	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts								
	Acute fish toxicity	LC50	1,1 mg/l	96 h	Pimephales promelas (fathead minnow)	Manufacturer	OECD 203			
	Acute algae toxicity	ErC50	8 mg/l	96 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201			
	Acute crustacea toxicity	EC50	6,5 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202			
	Fish toxicity	NOEC mg/l	0,135	37 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 210			
	Crustacea toxicity	NOEC mg/l	0,32	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one									
	Acute algae toxicity	ErC50 mg/l	0,110	72 h	Selenastrum capricornutum	Manufacturer	OECD 201			
	Acute crustacea toxicity	EC50 mg/l	0,643	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202			
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215			
	Crustacea toxicity	NOEC mg/l	0,25	4 d	Mysidopsis bahia	Manufacturer				
	Acute bacteria toxicity	EC50 )	23 mg/l (	3 h	Activated sludge	Manufacturer	OECD 209			
55965-84-9	reaction mass of 5-chloro	-2-methyl-2	H-isothiazol-3	B-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)				
	Acute algae toxicity	ErC50 mg/l	0,0052	72 h	Skeletonema costatum	Manufacturer	OECD 201			
	Acute bacteria toxicity	EC50 mg/l()	7,92	3 h	Activated sludge	Manufacturer	OECD 209			

### 12.2. Persistence and degradability

The product has not been tested.



in acc. with Regulation (EU) No. 2015/830

## CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

Page 10 of 13

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation			-				
97862-59-4	62-59-4 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts							
	OECD 311	80 %	62	Manufacturer				
	Biodegradable.							
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one							
	OECD 301C	85 %	63	Manufacturer				
	Moderately/partially biodegradable.							

### 12.3. Bioaccumulative potential

#### The product has not been tested.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

#### BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	

in acc. with Regulation (EU) No. 2015/830



# CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

Page 11 of 13

Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	Νο
14.7. Maritime transport in bulk according to not applicable	
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture
EU regulatory information	
Restrictions on use (REACH, annex XVII): Entry 75	
Directive 2004/42/EC on VOC in paints and varnishes:	< 0,1 %
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	2 - obviously hazardous to water
Additional information Observe in addition any national regula	tions!
15.2. Chemical safety assessment	
וט.ב. טוופוווונמו שמופנץ מששטשטוופוונ	

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

in acc. with Regulation (EU) No. 2015/830



# CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Revision date: 14.08.2024

Page 12 of 13

### Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Skin Sens: Skin sensitisation Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration. 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.

in acc. with Regulation (EU) No. 2015/830



## CULR<sup>™</sup> Art Pigment for Epoxy – Indigo Blue

Page 13 of 13

H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5	
	-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce	
	an allergic reaction.	
EUH210	Safety data sheet available on request.	

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)