SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and
Regulation (EC) No. 1272/2008 Including amendments

Revision date 27-02-2026 **Revision Number** 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EP FASCOL WHITE PIGMENT

Product Code(s) WS13587A

Safety data sheet number 30956

Unique Formula Identifier (UFI) EQQR-929A-900C-39QJ

Pure substance/mixture Mixture

Contains BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} ; Bisphenol F diglycidyl ether, reaction mass of isomers; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Colouring of epoxide compound & systems. For industrial use only.

1.3. Details of the supplier of the safety data sheet

Importer
WSEU LIMITED
The Penthouse Floor
5 Lapps Quay
Cork
Ireland
T12 RW7D
For further information, please contact

Supplier
West & Senior Ltd
Milltown Street
Radcliffe
Manchester
M26 1WE
UK

E-mail address info@westsenior.co.uk

Non-Emergency Telephone Number + 44 01617247131

1.4. Emergency telephone number

Emergency Telephone +44 0161 724 7131 Only available 8am to 4pm, Monday to Friday (UK Time Zone)

Emergency Telephone - §45 - (EC)1272/2008	
Europe	**112**
Austria	24hr Emergency number +43 1 406 43 43
Belgium	070 245 245
Denmark	+45 8212 1212
Finland	0800 147 111 (the call is free of charge)09 471 977 (normal price)
France	ORFILA number: + 33 (0)1 45 42 59 59
Ireland	7 days a week 8am-10pm - 01 809 2166
Lithuania	Apsinuodijimų kontrolės ir informacijos biuro tel. Nr. +370 (85) 2362052
Netherlands	NVIC: +31 (0)88 755 8000: Only for the purpose of informing medical personnel in case of acute intoxications' or in Dutch: 'Uitsluitend bestemd om professionele hulpverleners te

	informeren bij acute vergiftigingen.
Norway	22 59 13 00
Portugal	Portugal CIAV phone number: +351 800 250 250
Spain	National Emergency Telephone Number of Spanish Poison Centre: + 34 91 562 04 20 The information will be provided in Spanish (available 24/7): health personnel & general public (poisoning cases).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin irritation	Category 2 - (H315)
Eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Reproductive toxicity	Category 1B - (H360F)
Hazardous to the aquatic environment - chronic	Category 2 - (H411)

2.2. Label elements

Contains BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} ; Bisphenol F diglycidyl ether, reaction mass of isomers; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Signal word
Danger

Hazard statements
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H360F - May damage fertility.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary Statements - EU (§28, 1272/2008)
P201 - Obtain special instructions before use.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection and face protection.
P308 + P313 - IF exposed or concerned: Get medical advice/attention.
P321 - Specific treatment (see supplemental first aid instructions on this label).
P391 - Collect spillage.

2.3. Other hazards

Other hazards Toxic to aquatic life.

PBT or vPvB properties The mixture does not contain any substances meeting the PBT or vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
TITANIUM DIOXIDE 13463-67-7	30-60%	01-2119489379-17-0000	236-675-5	No data available	-	-	-	-
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} 25068-38-6	30-60%	01-2119456619-26-0000	(603-074-00-8)	Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Irrit. 2 (H319) Aquatic Chronic 2 (H411)	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%	-	-	-
Bisphenol F diglycidyl ether, reaction mass of isomers -	10-30%	01-2119454392-40-XXXX	701-263-0	Aquatic Chronic 2 (H411) Skin Sens. 1 (H317) Skin Irrit. 2 (H315)	-	-	-	-
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	1-5%	01-2119485289-22-0000	(603-103-00-4)	Skin Sens. 1 (H317) Skin Irrit. 2 (H315) Repr. 1B (H360F)	-	-	-	-
SILICA (CRYSTALLINE) 14808-60-7	<0.01%	No data available	238-878-4	No data available	-	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
TITANIUM DIOXIDE 13463-67-7	10000	No data available	5.0951	No data available	No data available
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} 25068-38-6	11400	No data available	No data available	No data available	No data available
oxirane, mono[(C12-14-alkyloxy) methyl] derivs. 68609-97-2	17100	4000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Erythema (skin redness). May cause redness and tearing of the eyes. Burning sensation.

Effects of Exposure May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Storage class (TRGS 510) Storage class 6.1C.

7.3. Specific end use(s)

Risk Management Methods (RMM) No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union
SILICA (CRYSTALLINE)	TWA: 0.1 mg/m^3;

14808-60-7				
Chemical name	Austria	Belgium	Bulgaria	Croatia
TITANIUM DIOXIDE 13463-67-7	TWA-TMW: 5 mg/m³; alveolar dust, respirable fraction STEL-KZGW: 10 mg/m³ (2 X 60 min); alveolar dust, respirable fraction	TWA: 10 mg/m³;	TWA: 10.0 mg/m³; respirable dust	TWA-GVI: 10 mg/m³; total dust, inhalable particles TWA-GVI: 4 mg/m³; respirable dust
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} 25068-38-6	-	-	TWA: 1.0 mg/m³;	-
SILICA (CRYSTALLINE) 14808-60-7	TWA-TMW: 0.05 mg/m³; alveolar dust, respirable fraction	TWA: 0.1 mg/m³; alveolar dust TWA: 0.05 mg/m³;	TWA: 0.1 mg/m³; respirable fraction	TWA-GVI: 0.1 mg/m³; respirable dust; respirable particle
Chemical name	Cyprus	Czech Republic	Denmark	Estonia
TITANIUM DIOXIDE 13463-67-7	-	-	TWA: 6 mg/m³; STEL: 12 mg/m³;	TWA: 5 mg/m³;
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m³; respirable dust fraction	TWA: 0.1 mg/m³; dust	TWA: 0.3 mg/m³; total TWA: 0.1 mg/m³; respirable STEL: 0.6 mg/m³; total STEL: 0.2 mg/m³; respirable	TWA: 0.1 mg/m³; inhalable dust
Chemical name	Finland	France	Germany TRGS	Germany DFG
TITANIUM DIOXIDE 13463-67-7	-	TWA-VME: 10 mg/m³;	TWA-AGW; 1.25 mg/m³ (exposure factor 2); respirable fraction TWA-AGW; 10 mg/m³ (exposure factor 2); inhalable fraction	TWA-MAK: 0.3 mg/m³; II(8);respirable fraction Peak: 2.4 mg/m³; respirable fraction
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.05 mg/m³; respirable dust	TWA-VME: 0.1 mg/m³; alveolar fraction	-	-
Chemical name	Greece	Hungary	Italy MDLPS	Italy AIDII
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m³; inhalable fraction TWA: 5 mg/m³; respirable fraction	-	-	TWA: 10 mg/m³;
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m³; respirable dust fraction	TWA-AK: 0.1 mg/m³; respirable fraction	TWA: 0.1 mg/m³; respirable fraction	TWA: 0.025 mg/m³; respirable fraction
Chemical name	Ireland	Latvia	Lithuania	Luxembourg
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m³; total inhalable dust TWA: 4 mg/m³; respirable dust STEL: 30 mg/m³ (calculated); respirable dust STEL: 12 mg/m³ (calculated);	TWA: 10 mg/m³;	TWA-IPRD: 5 mg/m³;	-
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m³; respirable dust STEL: 0.3 mg/m³;	-	TWA-IPRD: 0.1 ppm; respirable fraction	-
Chemical name	Malta	Netherlands	Norway	Poland
TITANIUM DIOXIDE 13463-67-7	-	-	TWA: 5 mg/m³; STEL: 10 mg/m³ (value	TWA-NDS: 10 mg/m³; inhalable fraction

			calculated);	STEL-NDSCh: 30 mg/m³;
SILICA (CRYSTALLINE) 14808-60-7	-	TWA: 0.075 mg/m³; respirable fraction	TWA: 0.05 mg/m³; respirable dust TWA: 0.3 mg/m³; total dust STEL: 0.9 mg/m³ (value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed); total dust STEL: 0.15 mg/m³ (value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed); respirable dust	TWA-NDS: 0.1 mg/m³; respirable fraction

Chemical name	Portugal	Romania	Slovakia	Slovenia
TITANIUM DIOXIDE 13463-67-7	TWA (VLE-MP): 10 mg/m³;	TWA: 10 mg/m³; STEL: 15 mg/m³;	TWA: 5 mg/m³;	-
SILICA (CRYSTALLINE) 14808-60-7	TWA (VLE-MP): 0.025 mg/m³; respirable fraction	TWA: 0.1 mg/m³; dust, respirable fraction	TWA: 0.1 mg/m³; STEL: 0.5 mg/m³;	TWA: 0.05 mg/m³; respirable fraction

Chemical name	Spain	Sweden	Switzerland	United Kingdom
TITANIUM DIOXIDE 13463-67-7	TWA-(VLA-ED): 10 mg/m³;	TLV-NGV: 5 mg/m³; total dust	TWA-MAK: 3 mg/m³; respirable dust TWA-MAK: 10 mg/m³; inhalable dust	TWA: 10 mg/m³; total inhalable TWA: 4 mg/m³; respirable STEL: 30 mg/m³; total inhalable STEL: 12 mg/m³; respirable
SILICA (CRYSTALLINE) 14808-60-7	TWA-(VLA-ED): 0.05 mg/m³; respirable fraction	TLV-NGV: 0.1 mg/m³; respirable fraction	TWA-MAK: 0.15 mg/m³; respirable dust	TWA: 0.1 mg/m³; respirable fraction STEL: 0.3 mg/m³; respirable

Note See section 16 for terms and abbreviations

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
SILICA (CRYSTALLINE) 14808-60-7	-	(Note 1)	-	-	-

Note 1: Details about BEL values can be found in Annex 2 of the Austrian Ordinance on Health Monitoring in the Workplace.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	-	1 mg/kg bw/day [4] [6]	3.6 mg/m³ [4] [6]

Notes
[4] Systemic health effects.
[6] Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	0.5 mg/kg bw/day [4] [6]	-	0.87 mg/m³ [4] [6]

Notes
[4] Systemic health effects.
[6] Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
TITANIUM DIOXIDE 13463-67-7	0.127 mg/l	0.61 mg/l	1 mg/l	0.61 mg/l	-
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	0.1058 mg/L	0.072 mg/L	0.01058 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
TITANIUM DIOXIDE 13463-67-7	1000 mg/kg sediment dw	100 mg/kg sediment dw	100 mg/L	100 mg/kg soil dw	-
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	307.16 mg/kg sediment dw	30.72 mg/kg sediment dw	10 mg/L	1.234 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear chemically resistant gloves (tested in accordance to EN 374-1 Type C or greater to be assessed by local risk assessment and physical activity) in combination with employee

training.Glove material : Neoprene , Nitriles.Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Wear suitable gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection Use appropriate respiratory protection. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.

Thermal hazards No information available.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Coloured paste, Liquid, or
Physical state	Liquid
Color	white
Odor	Slight
Odor threshold	No information available

Property	**Values**	**Remarks • Method**
Melting point / freezing point	No data available	None known
Boiling point or initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Lower and upper explosion limit/flammability limit		None known
Lower explosion limit	No data available	
Upper explosion limit	No data available	
Flash point	No data available	None known
Autoignition temperature	1929 - 400 °C	(ASTM D 1929) 400°C
Decomposition temperature		None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	No data available	None known
Water solubility		None known
Partition coefficient n-octanol/water (log value)	No data available	None known
Vapor pressure	No data available	None known
Density and/or relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regard to physical hazard classes
No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data
Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Erythema (skin redness). May cause redness and tearing of the eyes. Burning sensation.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	17,540.20	mg/kg
ATEmix (dermal)	99,999.00	mg/kg
ATEmix (inhalation-gas)	99,999.00	ppm
ATEmix (inhalation-vapor)	99,999.00	mg/L
ATEmix (inhalation-dust/mist)	99,999.00	mg/L

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat) 4 h
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT}	= 11400 mg/kg (Rat)	-	-
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	= 17100 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disruption for human health Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability No information available.

12.3. Bioaccumulative potential

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT}	-	3-31 31.00	-
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	3.77	-	-

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment This product does not contain any substances that are assessed to be a PBT or a vPvB.

Chemical name	PBT and vPvB assessment
TITANIUM DIOXIDE	Not PBT/vPvB
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT}	Not PBT/vPvB
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	Not PBT/vPvB

12.6. Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers)

Technical Name BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl

	ether, reaction mass of isomers
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	A97, A158, A197, A215
ERG Code	9L
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers), 9, III

IMDG

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers)
Technical Name	BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers
14.3 Transport hazard class(es)	9
14.4 Packing group	III
14.5 Environmental hazards	Yes
Marine pollutant indicator	P
Marine pollutant name	BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 969
EmS-No.	F-A, S-F
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers), 9, III, Marine pollutant
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers), 9, III
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 601, 650
Classification code	M6

ADR

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers), 9, III, (-)
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 601, 650
Classification code	M6
Tunnel restriction code	(-)

ADN

14.1 UN number or ID number	UN3082
14.2 UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} , Bisphenol F diglycidyl ether, reaction mass of isomers), 9, III
14.5 Environmental hazard	Yes
14.6 Special precautions for user	
Special Provisions	274, 335, 375, 601, 650
Classification code	M6
Equipment Requirements	PP

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
SILICA (CRYSTALLINE) 14808-60-7	RG 25

Germany

Chemical Prohibition Ordinance (ChemVerbotsV)

This product is subject to requirements and restrictions regarding handling and delivery. This product is subject to requirements and restrictions regarding handling and delivery in accordance with Annex II of the Chemicals Prohibition Ordinance (ChemVerbotsV).

Chemical name	ANNEX I
SILICA (CRYSTALLINE) 14808-60-7	1.2

TA Luft (German Air Pollution Control Regulation)

Chemical name	Number	Class
SILICA (CRYSTALLINE) 14808-60-7	5.2.7.1.1	-

TRGS 905 Not applicable

Netherlands

Carcinogenic, mutagenic and reproductive toxic effects

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
SILICA (CRYSTALLINE) 14808-60-7	Present	-	-

Switzerland

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018	Not applicable
Storage of Hazardous Material	SC 10/12
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20	Not applicable
Major Accidents Ordinance SR 814.012	Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

Use restricted. See item: 3.

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
TITANIUM DIOXIDE 13463-67-7	75	-
BISPHENOL A-(EPICHLORHYDRIN) { REACTION PRODUCT} 25068-38-6	75	-
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	Use restricted. See entry 75.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable.

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
SILICA (CRYSTALLINE) 14808-60-7	Plant protection agent

Explosives Precursors Marketing and Use (2019/1148)

Not applicable.

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status
TCSI	Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Full text of any hazard and/or precautionary statements referred to under Sections 2-15
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H360F - May damage fertility
H411 - Toxic to aquatic life with long lasting effects
P264 - Wash face, hands and any exposed skin thoroughly after handling
P280 - Wear protective gloves
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P321 - Specific treatment (see supplemental first aid instructions on this label)
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P362 + P364 - Take off contaminated clothing and wash it before reuse
P280 - Wear protective gloves, protective clothing, eye protection and face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention
P261 - Avoid breathing dust, fume, gas, mist, vapors and spray
P272 - Contaminated work clothing should not be allowed out of the workplace
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable
P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P405 - Store locked up
P273 - Avoid release to the environment
P391 - Collect spillage

Key or legend to abbreviations and acronyms used in the safety data sheet
List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
AIDII	Italian Association of Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits

bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DFG	German Research Foundation
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECHA	European Chemicals Agency
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EWC	European Waste Codes
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace
MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labor and Social Policy
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)

TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
C	Carcinogen
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS
U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
U.S. Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan National Institute of Technology and Evaluation (NITE)

Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine’s PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
United Nations World Health Organization (WHO)

Supersedes date 28-11-2017

Revision date 27-02-2026

Disclaimer
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet