

West & Senior Limited

Milltown Street • Radcliffe • Manchester • M26 1WE • United Kingdom Tel +44 (0) 161 724 7131 • Fax +44 (0) 161 724 9519 http://www.westsenior.co.uk • info@westsenior.co.uk

SAFETY DATA SHEET

PY FASCOL LEMON PIGMENT

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of	the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	PY FASCOL LEMON PIGMENT		
Product number	WS40005A		
1.2. Relevant identified uses	of the substance or mixture and uses advised against		
Identified uses	COLOURING OF POLYESTER RESINS & GELCOATS.		
1.3. Details of the supplier of	the safety data sheet		
Supplier	WEST AND SENIOR LIMITED. MILLTOWN STREET RADCLIFFE MANCHESTER. M26 1WE. TEL + 44 01617247131 FAX + 44 01617249519 info@westsenior.co.uk		
1.4. Emergency telephone ne	umber		
Emergency telephone	24 HOUR EMERGENCY TELEPHONE NUMBER : +44 7379825059		
SECTION 2: Hazards identifi	SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture			
2.1. Classification of the subs	stance or mixture		
2.1. Classification of the sub- Classification (SI 2019 No. 7			
Classification (SI 2019 No. 7	20)		
Classification (SI 2019 No. 7 Physical hazards	20) Not Classified		
Classification (SI 2019 No. 7 Physical hazards Health hazards	20) Not Classified Not Classified		
Classification (SI 2019 No. 7 Physical hazards Health hazards Environmental hazards	20) Not Classified Not Classified		
Classification (SI 2019 No. 7 Physical hazards Health hazards Environmental hazards Environmental 2.2. Label elements	20) Not Classified Not Classified Not Classified The product is not expected to be hazardous to the environment.		

SECTION 3: Composition/information on ingredients

3.2. Mixtures

BARIUM SULPHATE	5-10%
CAS number: 7727-43-7	EC number: 231-784-4
Classification Not Classified	
The full text for all hazard state	ements is displayed in Section 16.
Composition comments	No other disclosure required under the latest EC Directives
SECTION 4: First aid measure	98
4.1. Description of first aid me	asures
General information	No specific recommendations. If in doubt, get medical attention promptly.
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues. None.
Skin contact	Remove affected person from source of contamination. Get medical attention if irritation persists after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms	and effects, both acute and delayed
General information	Get medical attention if any discomfort continues.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	No specific symptoms known.
4.3. Indication of any immediate medical attention and special treatment needed	
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Heating may generate flammable vapours. Vapours may form explosive mixtures with air.
5.3. Advice for firefighters Protective actions during firefighting	No specific firefighting precautions known.

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.			
SECTION 6: Accidental release measures				
6.1. Personal precautions, prot	tective equipment and emergency procedures			
Personal precautions	Avoid heat, flames and other sources of ignition. Provide adequate ventilation.			
6.2. Environmental precautions	<u>S</u>			
Environmental precautions	Avoid the spillage or runoff entering drains, sewers or watercourses.			
6.3. Methods and material for	containment and cleaning up			
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses.			
6.4. Reference to other section				
Reference to other sections	For waste disposal, see section 13.			
SECTION 7: Handling and stor	rage			
7.1. Precautions for safe hand	ling			
Usage precautions	Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Take precautionary measures against static discharges. Contaminated rags and cloths must be put in fireproof containers for disposal.			
7.2. Conditions for safe storage	e, including any incompatibilities			
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container. Keep separate from food, feedstuffs, fertilisers and other sensitive material.			
7.3. Specific end use(s)				
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.			
SECTION 8: Exposure controls	s/Personal protection			
8.1. Control parameters Occupational exposure limits BARIUM SULPHATE				
Long-term exposure limit (8-hour TWA): 4 mg/m³ respirable dust Long-term exposure limit (8-hour TWA): 10 mg/m³ inhalable dust				
EH40 WEL, Time Weighted Average (TWA):, Inhalable dust. 10 mg/m3, 8 h EH40 WEL, Time Weighted Average (TWA):, Respirable dust. 4 mg/m3, 8 h				
Ingredient comments	No exposure limits known for ingredient(s).			
BARIUM SULPHATE (CAS: 7727-43-7)				
DNEL	Workers - Inhalation; Long term systemic effects: 10 mg/m ³ Workers - Inhalation; Long term local effects: 10 mg/m ³ Consumer - Inhalation; Long term systemic effects: 10 mg/m ³ Consumer - Oral; Long term systemic effects: 13000 mg/kg			

PNEC	Fresh water; 115 μg/l STP; 62.2 mg/l Sediment (Freshwater); 600.4 mg/kg Soil; 207.7 mg/kg C.I. PIGMENT YELLOW 83 (CAS: 5567-15-7)	
DNEL	Workers - Dermal; Long term systemic effects: 45 mg/kg/day Workers - Inhalation; Long term local effects: 3 mg/m³ General population - Dermal; Long term systemic effects: 28 mg/kg/day General population - Oral; Long term systemic effects: 28 mg/kg/day	
	TITANIUM DIOXIDE (CAS: 13463-67-7)	
DNEL	Workers - Inhalation; Long term local effects: 10 mg/m³ Professional - Inhalation; Long term local effects: 10 mg/m³ Consumer - Oral; Long term systemic effects: 700 mg/kg/day	
PNEC	marine water; 0.0184 mg/l Fresh water; 0.184 mg/l Intermittent release; 0.193 mg/l STP; 100 mg/l Sediment, marine water; 100 mg/kg Sediment, Fresh water; 1000 mg/kg Soil; 100 mg/kg	
	Trimethylolpropane (CAS: 77-99-6)	
DNEL	Workers - Inhalation; Long term systemic effects: 3.3 mg/m ³ Workers - Dermal; Long term systemic effects: 0.94 mg/kg Consumer - Inhalation; Long term systemic effects: 0.58 mg/m ³ Consumer - Dermal; Long term systemic effects: 0.34 mg/kg Consumer - Oral; Long term systemic effects: 0.34 mg/kg	
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	No specific ventilation requirements.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.	
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.	

SECTION 9: Physical and che	mical properties	
9.1. Information on basic physical and chemical properties		
Appearance	Viscous liquid. or Coloured paste.	
Colour	Various colours.	
Odour	Aromatic.	
Odour threshold	No information available.	
рН	No information available.	
Melting point	No information available.	
Initial boiling point and range	No information available.	
Flash point	>65°C	
Evaporation rate	No information available.	
Evaporation factor	No information available.	
Flammability (solid, gas)	No information available.	
Upper/lower flammability or explosive limits	No information available.	
Other flammability	No information available.	
Vapour pressure	No information available.	
Vapour density	No information available.	
Relative density	No information available.	
Bulk density	No information available.	
Solubility(ies)	Organic solvents. Insoluble in water.	
Partition coefficient	Not available.	
Auto-ignition temperature	No information available.	
Decomposition Temperature	No information available.	
Viscosity	No information available.	
Explosive properties	No information available.	
Explosive under the influence of a flame	Νο	
Oxidising properties	No information available.	
9.2. Other information		
Other information	No information required.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous reactions		

Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition.
10.5. Incompatible materials	
Materials to avoid	Strong oxidising agents. Peroxides.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	This product contains a diaryl pigment. This product should not be used if the processing temperature exceeds 200°C because of possible thermal decomposition, which can, with prolonged exposure or further increased temperature, form e.g. traces of aromatic amines. 3,3'-Dichloro-benzidine. Thermal decomposition may lead to formation of a multiplicity of compounds some of which may be hazardous. With incomplete combustion smoke and hazardous fumes and gases , including carbon monoxide, may be formed.
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
Toxicological effects	Not classified.
Acute toxicity - oral Notes (oral LD∞)	Not relevant.
Acute toxicity - dermal Notes (dermal LD₅₀)	Not relevant.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Not relevant.
Acute and chronic health hazards	No specific health hazards known.
SECTION 12: Ecological infor	mation
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	Not considered toxic to fish.
12.2. Persistence and degrada	ability
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	
Partition coefficient	Not available.
12.4. Mobility in soil	
Mobility	No information available.
12.5. Results of PBT and vPvl	B assessment

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB No information available. assessment

12.6. Other adverse effects Other adverse effects None known. SECTION 13: Disposal considerations 13.1. Waste treatment methods **Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers should be taken to an approved waste handling site for recycling or disposal. SECTION 14: Transport information General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). 14.1. UN number Not applicable. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard class(es) Not applicable. 14.4. Packing group Not applicable. 14.5. Environmental hazards Environmentally hazardous substance/marine pollutant No. 14.6. Special precautions for user Not applicable. 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code Transport in bulk according to Not relevant. Annex II of MARPOL 73/78 and the IBC Code SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Control of Substances Hazardous to Health Regulations 2002 (as amended).	
EU legislation	Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.	

Guidance

A guide to local exhaust ventilation (LEV) HSG258 (as ammended) Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	10/01/2024
Revision	7
Supersedes date	20/12/2023
SDS number	40033

The information contained within this document is presented in good faith and is believed to be correct. West and Senior Limited makes no representation as to the accuracy and/or completeness of this information. This information is issued on the condition that the user will determine the safety and suitability of products for their purposes prior to use. All technical details and values presented are deemed typical and do not constitute a delivery specification.